

投稿論文 2012年1月1日～12月31日

○Clinical manifestations of pregnancy in patients with Takayasu arteritis: experience from a single tertiary center

Arch Gynecol Obstet . 285(2) : 377–385, 2012

Hidaka N, Yamanaka Y, Fujita Y, Fukushima K, Wake N

○Grayscale and Doppler Sonographic Evaluation of Response to In Utero Treatment of Hydrops Fetalis Caused by Extralobar Pulmonary Sequestration

J Clin Ultrasound. 40(1) : 51–56, 2012

Yoshitomi T, Hidaka N, Yumoto Y, Fukushima K, Tsukimori K, Wake N

○Blood pressure measurements within the JNC7 pre-hypertensive range after 32 weeks of gestation are a risk factor decreased fetal growth

Hypertens Res. 35(1) : 128–130, 2012

Fukushima K, Morokuma S, Tsukimori K, Murata M, Wake N

○Cervicval length predicts placental adherence and massive hemorrhage in placenta previa

J Obstet Gynaecol Res. 38(1) : 192–197, 2012

Fukushima K, Fujiwara A, Anami A, Fujita Y, Yumoto Y, Sakai A, Morokuma S, Wake N

○Maternal exposure to high levels of dioxins in relation to birth weight in women affected by Yusho disease

Environ Int. 38(1) : 79–86, 2012

Tsukimori K, Uchi H, Mitoma C, Yasukawa F, Chiba T, Todaka T, Kajiwara J, Yoshimura T, Hirata T, Fukushima K, Wake N, Furue M

○Genetic reevaluation of the role of F-box proteins in cyclin D1 degradation

Mol Cell Biol. 32(3) : 590–605, 2012

Kanie T, Onoyama I , Matsumoto A, Yamada M, Nakatsumi H, Tateishi Y, Yamamura S, Tsunematsu R, Matsumoto M, Nakayama KI

○Effect of transient TCDD exposure on immortalized human trophoblast-derived cell lines

Hum Exp Toxicol. 31(6) : 550–556, 2012

Fukushima K, Tsukimori K, Li D, Takao T, Morokuma S, Kato K, Seki H, Takeda S, Matsumura S, Wake N

○E-cadherin nuclear staining is useful for the diagnosis of ovarian adult granulosa cell

tumor

Hum Pathol. 43(6): 808–817, 2012

Ohishi Y, Kurihara S, Takeuchi T, Aman M, Kaku T, Kobayashi H, Wake N, Oda Y

○ Antenatally diagnosed congenital orbital teratoma in which rupture was associated with intrauterine fetal death

J Obstet Gynaecol Res. 38(3): 578–581, 2012

Anami A, Fukushima K, Fujita Y, Satoh S, Matsumoto E, Endo M, Oda Y, Wake N

○ Measurement of the fetal isovolumetric contraction time in the fetus with a left ventricular aneurysm

J Obstet Gynaecol Res. 38(3): 586–588, 2012

Fujita Y, Hidaka N, Yumoto Y, Morihana E, Fukushima K, Wake N

○ RCAS1 is a promising therapeutic target against cancer: its multifunctional bioactivities and clinical significance

Expert Rev Obstet Gynecol. 7(3): 261–267, 2012

Sonoda K

○ Aortic Regurgitation Associated With Critical Aortic Stenosis in a Fetus.

Pediatr Cardiol. : , 2012

Tsukimori K, Hamasaki Y, Morihana E, Fusazaki N, Fujita Y, Takahata Y, Oda S, Kado H

○ The predictive value of anti-SS-A antibodies titration in pregnant women with fetal congenital heart block

Mod Rheumatol. : , 2012

Anami A, Fukushima K, Takasaki Y, Sumida T, Waguri M, Wake N, Murashima A

○ A retrospective chart review of the perinatal period in 22 pregnancies of 16 women with Moyamoya disease

J Clin Neurosci. 19(10): 1358–1362, 2012

Fukushima K, Yumoto Y, Kondo Y, Fujita Y, Morokuma S, Tsukimori K, Wake N

○ Ultrasound and MR images of prenatally diagnosed bilateral congenital diaphragmatic hernia, a rare variation of CDH

Clin Imaging. 36(5): 639–642, 2012

Hiasa KI, Fujita Y, Fukushima K, Nagata K, Taguchi T, Wake N

- The Maternally Expressed Gene Tssc3 Regulates the Expression of MASH2 Transcription Factor in Mouse Trophoblast Stem Cells through the AKT-Sp1 Signaling Pathway
J Biol Chem. 287(51): 42685–42694, 2012
Takao T, Asanoma K, Tsunematsu R, Kato K, Wake N
- SATB homeobox proteins regulate trophoblast stem cell renewal and differentiation
J Biol Chem. 287(3): 2257–2268, 2012
Asanoma K, Kubota K, Chakraborty D, Renaud SJ, Wake N, Fukushima K, Soares MJ, Rumi MA
- Inhibition of AHR transcription by NF1C is affected by a single nucleotide polymorphism, and is involved in suppression of human uterine endometrial cancer
Oncogene. : 1–10, 2012
Li D, Takao T, Tsunematsu R, Morokuma S, Fukushima K, Kobayashi H, Saito T, Furue M, Wake N, Asanoma K
- Clinicopathological prognostic factors and the role of cytoreduction in surgical stage IVb endometrial cancer: A retrospective multi-institutional analysis of 248 patients in Japan
Gynecol Oncol. 127(2): 338–344, 2012
Eto T, Saito T, Kasamatsu T, Nakanishi T, Yokota H, Satoh T, Nogawa T, Yoshikawa H, Kamura T, Konishi I
- Oxidative Stress Produced by Xanthine Oxidase Induces Apoptosis in Human Extravillous Trophoblast Cells
J Reprod Dev. : , 2012
Murata M, Fukushima K, Takao T, Seki H, Takeda S, Wake N
- A family of oculofaciocardiodental syndrome (OFCD) with a novel BCOR mutation and genomic rearrangements involving NHS
J Hum Genet. 57(3): 197–201, 2012
Kondo Y, Saitsu H, Miyamoto T, Nishiyama K, Tsurusaki Y, Doi H, Miyake N, Ryoo NK, Kim JH, Yu YS, Matsumoto N
- Sex ratio in two generations of the Yusho cohort
Epidemiology. 23(2): 349–350, 2012
Tsukimori K, Yasukawa F, Uchi H, Furue M, Morokuma S

○Stem cells in human normal endometrium and endometrial cancer cells: characterization of side population cells

Kaohsiung J Med Sci. 28(2): 63–71, 2012

Kato K

○Endometrial cancer stem cells: a new target for cancer therapy

Anticancer Res. 32(6): 2283–2293, 2012

Kato K

○Side-population cells derived from non-tumorigenic rat endometrial cells are a candidate cell of origin for malignant endometrial tumors

J Stem Cell Res Ther. : , 2012

Kato K, Kusunoki S, Inagaki T, Yusuf N, Suga S, Terao Y, Arima T, Tsukimori K, Takeda S

○Administration of amino acid agents is effective to prevent alkalosis during sodium bicarbonate irrigation in patients with pseudomyxoma peritonei

International Cancer Conference Journal. 1(2): 74–78, 2012

Kusunoki S, Kaneda H, Suga S, Kimura M, Terao Y, Kato K, Yao T, Takeda S

○“Piling up” clear cells in müllerian-type mucinous and mixed cell-type borderline tumor do not represent concomitant clear cell neoplasms

Hum Pathol. 43(10): 1618–1626, 2012

Ohishi Y, Kurihara S, Aman M, Takeuchi T, Imamura H, Kaku T, Kobayashi H, Wake N, Oda Y

○特集：婦人科悪性腫瘍の治療開発とそのシーズ

癌の播種・進展を制御するGタンパク質共役受容体を標的とした治療法の開発

産婦人科の実際. 61(2): 207–213, 2012

八木裕史

○特集：婦人科悪性腫瘍の治療開発とそのシーズ

RCAS1 分子を標的とした婦人科がん治療法の開発

産婦人科の実際. 61(2): 229–234, 2012

園田顕三

○第3章 産褥期の身体のしくみと疾患の理解 新体系 看護学全書 母性看護学2

マタニティサイクルにおける母子の健康と看護（メディカルフレンド社）：159–184, 2012

福嶋恒太郎

○Gynecologic Cancer 婦人科がん

婦人科領域の希少がんに対する治療戦略 I. 子宮頸癌 1. 小細胞癌

癌と化学療法. 39(2): 180-183, 2012

麻生佳愛, 小林裕明

○卵巣小細胞癌（高カルシウム血症型）の術後早期の再燃に TC 療法が奏効した 1 例

宮崎県医師会医学会誌. 36(1): 58-62, 2012

木村奈津子, 岩佐康平, 城戸咲, 高村一紘, 永山志穂, 岩永巖, 大神達寛, 谷口秀一,
嶋本富博

○RCAS1 をターゲットとした新たながん分子標的治療開発に関する研究

癌と人. 39: 45-46, 2012

園田顕三

○妊娠におけるダイオキシン摂取が胎児健康に及ぼす影響のリスク評価に関する研究 (C-0903)

環境省環境研究・技術開発推進費終了研究成果報告書. 平成 21 年度～平成 23 年度: , 2012

平田輝昭, 諸隈誠一, 川本俊弘, 堀就英, 月森清巳, 大寺由佳, 戸高尊, 高橋浩司,
安武大輔, 梶原淳睦, 平川博仙, 山本貴光

○卵巣成熟囊胞性奇形腫に発生した粘液性腫瘍が原因と考えられた腹膜偽粘液腫の 1 例

日本婦人科腫瘍学会雑誌. 30(2): 151-159, 2012

南千尋, 西田真, 権丈洋徳, 遠城幸子, 梅津隆, 栗原秀一, 中島豊

○卵巣がん休眠化学療法

再発卵巣がんと長く穏やかに付き合う新たな切り札 がん休眠化学療法

がんサポート. 107: 36-39, 2012

小林裕明

○人に感謝される職業 医師への純粋なあこがれを持って

朝日新聞朝刊 2012 年 3 月 25 日. : 34 面, 2012

小林裕明

○妊娠中の薬、悩む前に相談を 母親の健康維持も胎児に有益

西日本新聞朝刊 2012 年 6 月 18 日. : 29 面, 2012

小林裕明

○化学療法先行治療を進行卵巣がんの標準治療とするための研究（H22-がん臨床一般-020）：
三次元培養系における細胞集塊を用いたヒト卵巣癌が産生する血管新生因子に関する研究
厚生労働科学研究所費補助金がん臨床研究事業
平成23年度 総括研究報告書：36-38, 2012
小林裕明

○絨毛性疾患アップデート 「取扱い規約」改訂をふまえて 胚状奇胎の発生機構
臨床婦人科産科. 66(8)：618-623, 2012
兼城英輔, 和氣徳夫

○特集 周産期と腎 腎疾患と産科合併症の関連 尿路感染症
周産期医学. 42(9)：1117-1119, 2012
藤原ありさ, 福嶋恒太郎

○婦人科腫瘍の診断と治療法～命を救うだけでなく妊娠機能も残すために～
朝日新聞朝刊 2012年12月15日. : 24面, 2012
加藤聖子, 斎藤俊章

○子宮体癌の生物学的特性から診断、治療まで 癌遺伝子と癌幹細胞
産科と婦人科. 79(2)：203-208, 2012
加藤聖子

○婦人科悪性腫瘍の治療開発とそのシーズ 子宮体癌・癌幹細胞の関連分子を標的とした治療法の開発
産婦人科の実際. 61(2)：235-243, 2012
加藤聖子

○肺塞栓症を合併した巨大子宮頸部筋腫に対するオクルージョンカテーテルを用いた筋腫核出術について
日本産婦人科学会関東連合産科婦人科学会誌. 49(4)：689-698, 2012
金田容秀, 松村優子, 高橋七瀬, 松井泰佳奈, 松田祐子, 楠木総司, 牧野真太郎, 須賀新, 寺尾泰久, 北出真理, 加藤聖子, 竹田省

○巨大子宮頸管ポリープの一例
日本産婦人科学会東京産科婦人科学会会誌. 61(3)：413-418, 2012
屋代律子, 金田容秀, 吉田恵美子, 祖川侑子, 須賀新, 寺尾泰久, 加藤聖子, 竹田省

○細胞診異常の約2年後に診断した卵管類内膜腺癌の1例

日本臨床細胞学会雑誌. 51(6) : 435-440, 2012

今村紘子, 萩原聖子, 兼城英輔, 矢幡秀昭, 小川伸二, 小林裕明, 加東恒壽